



SAFETY DATA SHEET

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. <u>Product identifier:</u>

REVCO ORIGO interior wall paint

UFI: MEDF-2WDo-oVo8-oJCN

1.2. Relevant identified uses of the substance or mixture and uses advised against:

Interior wall paint. For consumer, professional use.

1.3. <u>Details of the supplier of the safety data sheet:</u>

Information about the manufacturer:

REVCO Magyarország Kft.

2310 Szigetszentmiklós, Leshegy út 5.

Tel.: 06 24/525-525

1.3.1. Responsible person: Attila Balogh

E-mail: balogh.attila@revco.hu

1.4. <u>Emergency telephone number:</u> Please fill in

SECTION 2: HAZARDS IDENTIFICATION

2.1. <u>Classification of the substance or mixture:</u>

Classification according to Regulation (EC) No 1272/2008 (CLP):

Sensitisation - Skin, hazard category 1A - H₃₁₇

Hazardous to the aquatic environment – Chronic Hazard, Category 3 – H412

Hazard statements:

H317 – May cause an allergic skin reaction.

H412 – Harmful to aquatic life with long lasting effects.

2.2. <u>Label elements:</u>

Components that define the hazards: Reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)



Hazard statements:

H317 – May cause an allergic skin reaction.

H412 – Harmful to aquatic life with long lasting effects.

Precautionary statements:

P102 – Keep out of reach of children.

P262 – Do not get in eyes, on skin, or on clothing.

P273- Avoid release to the environment.

P280 – Wear protective gloves.

P302 + P352 - IF ON SKIN: Wash with plenty of water.

P333 + P313 – If skin irritation or rash occurs: Get medical advice/ attention.

P301 + **P310** – IF SWALLOWED: Immediately call a POISON CENTER or doctor.

P501 – Dispose of contents/container in accordance with local regulations.

Date of revision: -Version: 1





2.3. Other hazards:

Adverse physico-chemical, human health and environmental effects:

Eye contact: Tearing, reddening of the eyes may occur.

Skin contact: May cause allergic reaction.

Ingestion: May cause nausea, abdominal pain.

Results of PBT and vPvB assessment: Based on the available data, the mixture does not contain any ingredient meeting the criteria

for classification as PBT or vPvB substances.

Endocrine disrupting property: Based on available data, does not contain endocrine disruptors.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. <u>Substances:</u>

Not applicable.

3.2. <u>Mixtures:</u>

Description	CAS number	EC number / ECHA list number	REACH registration number	Conc. (%)		on according to No 1272/2008 ((Hazard class and category code(s)	-
Tetrahydro-1,3,4,6- tetrakis(hydroxyme thyl)imidazo[4,5- d]imidazole- 2,5(1H,3H)-dione*	5395-50-6	226-408-0	-	> 0.01 - ≤ 0.08	GHSo7 Warning	Skin Sens. 1	H ₃ 17
Reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) Index number: 613-167-00-5	55965-84-9	-	-	> 0.0015 - < 0.0026	GHSo6 GHSo5 GHSo9 Danger	Acute Tox. 2 Acute Tox. 3 Skin Corr. 1C Eye Dam. 1 Skin Sens.1A Aquatic Acute 1 M = 100 Aquatic Chronic 1 M = 100	H330 H310 H301 H314 H318 H317 H400 H410 EUH071
Talc*	14807-96-6	238-877-9	-	1-<5	-	not classified	-
Calcium carbonate*	1317-65-3	215-279-6	-	> 40 - ≤ 50	-	not classified	-
Sodium hydroxide** Index number: 011-002-00-6	1310-73-2	215-185-5	-	≥ 0.1 - < 0.5	GHSo ₅ Danger	Skin Corr. 1A Met. Corr. 1	H314 H290

^{*:} Classification specified by the manufacturer; the substance is not listed in Annex VI of the Regulation (EC) No 1272/2008.

Specific concentration limits:

Reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (CAS: 55965-84-9):

Skin Corr. 1C; H314: C ≥ 0,6 % Skin Irrit. 2; H315: 0,06 % ≤ C < 0,6 %

Eye Dam. 1; H₃18: C ≥ 0,6 %

Eye Irrit. 2; H319: 0,06 $\% \le C < 0,6 \%$ Skin Sens. 1A; H317: $C \ge 0,0015 \%$

^{**:} Classification specified by the manufacturer that includes other classification in addition to the classification specified by Regulation (EC) No 1272/2008.

Date of revision: -Version: 1





Sodium hydroxide (CAS: 1310-73-2):

Skin Corr. 1A; H314: $C \ge 5\%$ Skin Corr. 1B; H314: $2\% \le C < 5\%$ Skin Irrit. 2; H315: $0,5\% \le C < 2\%$ Eye Irrit. 2; H319: $0,5\% \le C < 2\%$

Talc: The product contains less than 1% respirable crystalline silica (RCS) and does not meet the classification criteria.

It does not contain any other substance considered to be hazardous to health or to the environment, which is classified as a PBT or vPvB substance, which has a workplace exposure limit value, or its concentration does not reach the level specified in the relevant legislation and therefore it does not need to be included in the safety data sheet.

For the full text of hazard statements, see Section 16.

SECTION 4: FIRST AID MEASURES

4.1. <u>Description of first aid measures:</u>

General information: Take off contaminated clothing immediately. In case of complaints, obtain medical help.

INGESTION:

Measures:

- Immediately call a physician.
- Rinse mouth with water and give the victim plenty of water to drink.
- Take victim into fresh air, loosen tight clothes and place in a comfortable position.

INHALATION:

Measures:

- No risk of inhalation.
- If inhaled, take the victim into fresh air, let him rest and loosen tight clothing.
- In case of complaints, symptoms, obtain medical help.

SKIN CONTACT:

Measures:

- Take off contaminated, soaked clothing and shoes.
- Immediately wash the skin with plenty of running water and soap. Do not use solvents to wash the skin.
- In case of skin irritation or rash: obtain medical help.

EYE CONTACT:

Measures:

- In case of contact with eyes, flush with lukewarm water holding eyelids apart for at least 10 minutes.
- If the victim is wearing contact lenses, remove the lenses immediately.
- Consult specialist.

4.2. <u>Most important symptoms and effects, both acute and delayed:</u>

Eye contact: may cause tearing, redness.

Skin contact: may cause allergic reaction.

Ingestion: may cause nausea, abdominal pain.

4.3. <u>Indication of any immediate medical attention and special treatment needed:</u>

No special treatment needed; treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. <u>Extinguishing media:</u>

5.1.1. Suitable extinguishing media:

Choose extinguishing media appropriate for local environment and conditions.

Water spray, water mist (only for large spread, for cooling surface), alcohol resistant foam, extinguishing powder, carbon dioxide.

5.1.2. Unsuitable extinguishing media:

High pressure water jet.

5.2. <u>Special hazards arising from the substance or mixture:</u>

The formation of dangerous decomposition products greatly depends on the circumstances of the combustion. A complex mixture of airborne solid, liquid and gas substances may occur, such as carbon monoxide, carbon dioxide and unidentified compounds. The inhalation of such combustion products can have serious adverse effects on health.

5.3. Advice for firefighters:

Wear full protective, fire-resistant clothing, protective gloves, protective footwear and self-contained breathing apparatus to protect the eyes and the face.

Water spray or water mist is good for cooling closed containers.

Date of revision: -Version: 1





Take action in accordance with the fire safety regulations in force.

Do not breathe in gases.

The degree of danger depends on the burning material and the conditions of the fire.

Fire residues and contaminated extinguishing water must be disposed according to local regulations.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. <u>Personal precautions, protective equipment and emergency procedures:</u>

6.1.1. For non-emergency personnel:

Allow only well-trained experts wearing suitable protective clothing to abide in the field of accident.

6.1.2. For emergency responders:

Remove unauthorised person from the affected area.

Stop the leakage, if it can be done without risk of personal injury.

Ventilate the contaminated area.

Avoid contact with skin, eyes and clothing.

Wear appropriate personal protective equipment (see Section 8) and provide respiratory protection for those involved in the rescue, if necessary (e.g. in case of fire, see Section 5.3).

6.2. <u>Environmental precautions:</u>

Collect contaminated water/extinguishing water.

Dispose of the spillage and the resulting waste according to the applicable environmental regulations. Do not allow the product and the resulting waste to enter sewers/soil/surface or ground water. Notify the respective authorities in accordance with local law in the case of environmental pollution immediately.

6.3. Methods and material for containment and cleaning up:

Collect the product in labelled containers by methods appropriate for its consistency (e.g. pumping).

Collect remaining product with non-combustible absorbent material, then transport into a safe disposal site and dispose in accordance with local and national regulations (see Section 13.).

Clean surface with detergent and water, do not use organic solvents.

6.4. Reference to other sections:

For further and detailed information see Sections 5.3, 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. <u>Precautions for safe handling:</u>

Observe conventional hygiene precautions.

The workplace or work process must be designed to prevent or minimise direct contact with the product.

Do not breathe in vapours/spray.

Avoid contact with skin and eyes.

If on skin, rinse thoroughly.

Do not empty into public sewer.

Do not eat, drink, or smoke when using this product.

Wash hands after the use of this product.

Technical measures:

Do not use indoors without ventilation.

Ensure adequate ventilation/exhaustion.

Precautions against fire and explosion:

No special measures required.

7.2. <u>Conditions for safe storage, including any incompatibilities:</u>

Technical measures and storage condition:

Storage conditions should meet the general requirements for storing chemicals.

Store in original, closed and appropriately labelled containers in a dry, well-ventilated place away from direct sunlight, children, food and animal feed.

Sensitive to frost!

Shelf life: 12 months from the date of manufacture.

Incompatible materials: See Section 10.5.

Packaging material: No special prescriptions.

7.3. Specific end use(s):

Interior wall paint





www.msds-europe.com

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. <u>Control parameters:</u>

Occupational exposure limit values (Commission Directive (EC) No 2000/39 of 8 June 2000):

The components of the mixture are not regulated with exposure limit value.

DNEL values:

Sodium hydroxide (CAS: 1310-73-2):

Worker, inhalative exposure, long term: 1.0 mg/m³ Consumer, inhalative exposure, long term: 1.0 mg/m³

DNEL values		Oral exposure		Dermal exposure		Inhalative exposure	
		Short term (acute)	Long term (chronic)	Short term (acute)	Long term (chronic)	Short term (acute)	Long term (chronic)
Consumer	Local	no data	no data	no data	no data	no data	no data
	Systemic	no data	no data	no data	no data	no data	no data
Worker	Local	no data	no data	no data	no data	no data	no data
	Systemic	no data	no data	no data	no data	no data	no data

PNEC values					
Compartment	Value	Note(s)			
Freshwater	no data	no notes			
Marine water	no data	no notes			
Freshwater sediment	no data	no notes			
Marine water sediment	no data	no notes			
Sewage Treatment Plant (STP)	no data	no notes			
Intermittent release	no data	no notes			
Secondary poisoning	no data	no notes			
Soil	no data	no notes			

8.2. Exposure controls:

In case of a hazardous material with no controlled concentration limit it is the employer's duty to keep concentration levels down to a minimum achievable by existing scientific and technological means, where the hazardous substance poses no harm to workers.

8.2.1. Appropriate engineering controls:

In pursuance of work is proper foresight needed to avoid spilling onto clothes and floors and to avoid contact with eyes and skin. Ensure adequate ventilation.

Can be used in a well-ventilated place.

Ventilation should be provided during preparation, application and drying.

These specifications apply to normal activities carried out under normal conditions of use and for the intended purpose. In the case of work carried out under other conditions or in exceptional circumstances, it is recommended that additional steps and personal protective equipment should be decided on based on literature or in consultation with an expert.

8.2.2. Individual protection measures, such as personal protective equipment:

Contact with eyes and skin should be avoided.

Do not eat, drink, or smoke when using this product.

Wash hands at the end of the work.

- 1. Eye/face protection: Use appropriate protective glasses (EN ISO 16321-1:2022; EN 166).
- 2. Skin protection:
 - a. **Hand protection:** Use appropriate protective gloves (EN 374).

The glove material must be impermeable and resistant to the product/material/preparation.

Select glove material based on the penetration time, rates of diffusion and degradation.

The selection of suitable gloves does not only depend on the material, but also on further marks of quality which may vary from manufacturer to manufacturer.

The exact break through time has to be found out by the manufacturer of the protective gloves.

- Other: Use appropriate protective clothing.
- Respiratory protection: In case of adequate ventilation, respiratory protection is not needed.
 In case of insufficient ventilation, use appropriate respiratory protective device.

Do not breathe in gases, fumes, sprays or vapours.

4. Thermal hazards: No thermal hazards known.

Date of revision: -Version: 1





8.2.3. Environmental exposure controls:

The provisions of Decree 26/2014 (25.III.) VM (on the limitation of emissions of volatile organic compounds from certain activities) and Decree 4/2011 (14. I.) VM on air pollution level limits and emission limits for stationary sources of air pollution must be taken into account.

The requirements detailed in Section 8 assume skilled work under normal conditions and usage of the product for appropriate aims. If conditions differ from normal or work is carried out under extreme conditions, an expert's advice is necessary before deciding upon further protective measures.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. <u>Information on basic physical and chemical properties:</u>

	Parameter	Value / Test method / Remarks
1.	Physical state	liquid (suspension)
2.	Colour	white
3.	Odour, odour threshold	not relevant
4.	Melting point/freezing point	not relevant
5.	Boiling point or initial boiling point and boiling range	not relevant
6.	Flammability	not applicable
7.	Lower and upper explosion limit	not applicable
8.	Flash point	not applicable
9.	Auto-ignition temperature	not applicable
10.	Decomposition temperature	not relevant
11.	рН	9.04 (at 20 °C)
12.	Kinematic viscosity	no data*
13.	Solubility in water	soluble
	in other solvents	no data*
14.	Partition coefficient n-octanol/water (log value)	not applicable
15.	Vapour pressure	not relevant
16.	Density and/or relative density	1.50 g/cm³ (at 20 °C)
17.	Relative vapour density	not applicable
18.	Particle characteristics	no data*

9.2. Other information:

9.2.1. Information with regard to physical hazard classes:

No further data available or not applicable for the product.

9.2.2. Other safety characteristics:

Dynamic viscosity: 5760 mPas (20 °C)

VOC: <1 q/l

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity:

No reactivity known.

10.2. <u>Chemical stability:</u>

The product is stable under normal conditions of use.

10.3. <u>Possibility of hazardous reactions:</u>

No hazardous reactions known under normal conditions of use.

10.4. <u>Conditions to avoid:</u>

Protect from frost.

10.5. <u>Incompatible materials:</u>

No incompatible materials known.

10.6. <u>Hazardous decomposition products:</u>

No hazardous decomposition products known.

^{*:} The manufacturer did not carry out any tests on this parameter for the product or the results of the tests are not available at the time of publication of the data sheet, or the property is not applicable for the product.





www.msds-europe.com

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. <u>Information on hazard classes as defined in Regulation (EC) No 1272/2008:</u>

Acute toxicity: Based on available data, the classification criteria are not met.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation: May cause an allergic skin reaction.

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met. **STOT-single exposure:** Based on available data, the classification criteria are not met.

STOT-repeated exposure: Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

11.1.1. Summaries of the information derived from the test conducted:

No data available.

11.1.2. Relevant toxicological properties:

Toxicological test data are not available for the product, thus the toxicological test data available for each component are provided.

Information about the components:

Reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (CAS: 55965-84-9):

Skin corrosion/irritation:

OECD 404 (rabbit): corrosive.

Serious eye damage/irritation:

OECD 405 (rabbit): serious eye damage

Respiratory or skin sensitization: OECD 406 (guinea pig): sensitizing.

Tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5(1H,3H)-dione (CAS: 5395-50-6):

Respiratory or skin sensitization:

OECD 406 (guinea pig): sensitizing.

Talc (CAS: 14807-96-6):

Acute toxicity:

Talc is not acute toxic:

Ingestion: LD50 > 5000 mg/kg (bodyweight) Weir, 1974

Skin corrosion/irritation:

Talc does not irritate the skin (in vivo, OECD 404, rabbit)

Classification for irritation / corrosion is not justified.

Germ cell mutagenicity:

Talc is not genotoxic (in vitro, OECD 471)

Talc caused mutagenic effects in the strains tested.

Classification for mutagenicity is not justified.

Carcinogenicity:

The 2006 IARC study concluded that talc free of asbestos and asbestos-like fibres should not be classified as a carcinogen (Group 3). IARC excluded the minimal available evidence linking the use of talc in the perineal area to a possible risk of ovarian cancer (Group 2B) - IARC Monograph Volume 93, published in 2010.

Reproductive toxicity:

Oral exposure to talc has no effect on fetal development, maternal or fetal survival (OECD, rabbit)

STOT-repeated exposure:

No organ toxicity was observed in the repeated dose toxicity test.

Oral: No adverse effects were observed in animal studies (Wagner JC et al., 1977)

Inhalation: No classification for target organ toxicity is warranted for repeated dose exposure by inhalation.

Either effect is due to a non-specific particle-induced effect rather than to intrinsic fibrogenic activity specific to the mineral.

Dermal: dermal toxicity is not considered relevant.

Therefore, the toxicity classification of talc for prolonged oral, inhalation or dermal exposure is not justified.

Aspiration hazard:

No aspiration hazard related to inhalation.

Calcium carbonate (CAS: 1317-65-3):

Acute toxicity:

LD50 (oral, rat): >5000 mg/kg

11.1.3. Information on likely routes of exposure:

Ingestion, inhalation, skin contact, eye contact.

11.1.4. Symptoms related to the physical, chemical and toxicological characteristics:

Eye contact: may cause tearing, redness.

Skin contact: may cause allergic reaction.

Ingestion: may cause nausea, abdominal pain.

Date of revision: -Version: 1





www.msds-europe.com

11.1.5. Delayed and immediate effects as well as chronic effects from short and long-term exposure:

May cause an allergic skin reaction.

11.1.6. Interactive effects:

No data available.

11.1.7. Absence of specific data:

No information.

11.2. <u>Information on other hazards:</u>

Endocrine disrupting properties:

Endocrine disrupting property: Based on available data, does not contain endocrine disruptors.

Other information:

There are no toxicological tests available for this product. Classification is based on the properties of relevant components.

SECTION 12: ECOLOGICAL INFORMATION

12.1. <u>Toxicity:</u>

Harmful to aquatic life with long lasting effects.

There are no toxicological tests available for this product. Classification is based on the properties of relevant components. Information about the components:

Tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5(1H,3H)-dione (CAS: 5395-50-6):

EC50 (Desmodesmus subspicatus): 8.5 mg/l/72h (OECD 201)

EC50 (Daphnia magna): 38.9 mg/l/48h (OECD 202)

LC50 (Brachydanio rerio): 17.6 mg/l/96h (OECD 203)

NOEC (Daphnia magna): 11.2 mg/l/21 nap (OECD 211)

NOEC (algae): 3.93 mg/l/72h (OECD 201)

Reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (CAS: 55965-84-9):

EC50 (Pseudokirchneriella subcapitata): 0.048 mg/l/72h (OECD 201)

EC50 (Daphnia magna): 0.1 mg/l/48h (OECD 202)

EC50 (Skeletonema costatum): 0.0052 mg/l/48h (ISO 10253)

LC50 (Onchorhyncus mykiss): 0.22 mg/l/96h (OECD 203)

NOEC (Skeletonema costatum): 0.00064 mg/l/48h (ISO 10253)

NOEC (Daphnia magna): 0.004 mg/l/21 nap (OECD 211)

NOEC (Onchorhyncus mykiss): 0.098 mg/l/28 days (OECD 215)

NOEC (Pseudokirchneriella subcapitata): 0.0012 mg/l/72h (OECD 201)

Toxicity to organisms in active sludge:

EC50: 7.92 mg/l/3h (OECD 209)

EC20: 0.97 mg/l/3h (OECD 209)

 $\textbf{Calcium carbonate} \ (\text{CAS: } \textbf{1317-65-3}):$

LC50 (fish. Oncorhynchus mykiss): 10000 mg/l/96h

EC50 (Daphnia magna): >1000 mg/l/48h

EC50 (Desmodesmus subspicatus): >200 mg/l/72h Sodium hydroxide (CAS: 1310-73-2):

EC50 (aquatic invertebrates): 20-40 mg/l

LC50 (fish): 20-450 mg/l

Characia taviaita

Chronic toxicity:

EC50 (aquatic invertebrates): 20-40 mg/l

NOEC (fish): ≥25 mg/l

12.2. <u>Persistence and degradability:</u>

Information about the components:

Tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5(1H,3H)-dione (CAS: 5395-50-6):

Rapid degradability of organic substances:

OECD 301 A DOC Die-Away-Test: >70 %

Reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (CAS: 55965-84-9):

Rapid degradability of organic substances:

OECD 301 D Closed-Bottle-Test: >60 %

OECD 308 Simulation Biodegradation Aqu Sed System: 1.82-1.92 days

Behavior in wastewater treatment plants:

OECD 302 B Zahn-Wellens Test: 100 %

OECD 303 Active sludge units: >80 %

Talc (CAS: 14807-96-6):

The product is an inorganic substance and therefore not considered biodegradable.

Date of revision: -Version: 1





www.msds-europe.com

12.3. Bioaccumulative potential:

Information about the components:

Tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5(1H,3H)-dione (CAS: 5395-50-6):

OECD 107 LogKow (Shake Flask Method): 2 (n-octanol/water)

BCF: 1.41 (calculated)

Reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (CAS: 55965-84-9):

BCF: 3.16 (calculated)

OECD 117 LogKow (HPLC method): ≤0,71 (n-octanol/water)

12.4. Mobility in soil:

Information about the components:

Talc (CAS: 14807-96-6): Negligible.

12.5. Results of PBT and vPvB assessment:

Based on the available data, the mixture does not contain any ingredient meeting the criteria for classification as PBT or vPvB substances.

12.6. Endocrine disrupting properties:

Endocrine disrupting property: Based on available data, does not contain endocrine disruptors.

12.7. Other adverse effects:

Prevent the product from entering water, sewers or soil.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. <u>Waste treatment methods:</u>

Disposal according to the local regulations.

13.1.1. Information regarding the disposal of the product:

Dispose of in accordance with applicable regulations.

Do not empty into drains.

List of Waste Code:

o8 o1 15* aqueous sludges containing paint or varnish containing organic solvents or other hazardous substances

o8 o1 17* wastes from paint or varnish removal containing organic solvents or other hazardous substances

o8 o1 19* aqueous suspensions containing paint or varnish containing organic solvents or other hazardous substances

*: Hazardous waste.

The above mentioned codes are suggestions for classification, the exact waste code is determined by the user on the basis of the above mentioned Regulation.

13.1.2. Information regarding the disposal of the packaging:

Dispose of in accordance with applicable regulations.

List of Waste Code:

15 o1 10* packaging containing residues of or contaminated by hazardous substances

*: Hazardous waste.

13.1.3. Physical/chemical properties that may affect waste treatment options shall be specified:

No data available.

13.1.4. Sewage disposal:

No data available.

13.1.5. Special precautions for any recommended waste treatment:

No data available.

SECTION 14: TRANSPORT INFORMATION

ADR/RID; ADN; IMDG; IATA:

Not subject to the conventions of carriage of dangerous goods.

14.1. <u>UN number or ID number:</u>

No UN or ID number.

14.2. <u>UN proper shipping name:</u>

No proper shipping name.

14.3. <u>Transport hazard class(es):</u>

No transport hazard classes.

14.4. Packing group:

No packing group.

14.5. Environmental hazards:

No relevant information available.

Date of issue: 24. 03. 2025 Date of revision: -

Version: 1





14.6. <u>Special precautions for user:</u>

No relevant information available.

14.7. <u>Maritime transport in bulk according to IMO instruments:</u>

Not applicable.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture:

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive (EC) No 1999/45 and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive (EEC) No 76/769 and Commission Directives (EEC) No 91/155, (EEC) No 93/67, (EC) No 93/105 and (EC) No 2000/21

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives (EEC) No 67/548 and (EC) No 1999/45, and amending Regulation (EC) No 1907/2006

COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Treated article containing the following biocidal active substances as a preservative: Tetrahydro-1,3,4,6-tetrahydro-1,3,4,6-tetrahydroxymethyl-imidazo[4,5-d]imidazole-2,5(1H,3H)-dione (CAS: 5395-50-6), Reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (CAS: 55965-84-9), 1,2-benzisothiazol-3(2H)-one (CAS: 2634-33-5), 2-Methylisothiazol-3(2H)-one (CAS: 2682-20-4); Bronopol (CAS: 52-51-7).

15.2. <u>Chemical safety assessment:</u> Chemical safety assessment for the components of the product has not been carried out.

SECTION 16: OTHER INFORMATION

Information regarding the revision of the safety data sheet: No information.

Literature references / data sources:

Safety data sheet issued by the manufacturer (25. 10. 2024, version 1, HU).

Methods used for the classification according to Regulation (EC) No 1272/2008:

Classification	Method
Sensitisation - Skin, hazard category 1A — H317	Based on calculation method
Hazardous to the aquatic environment – Chronic Hazard, Category 3 – H412	Based on calculation method

Relevant hazard statements (code and full text) of Sections 2 and 3:

H290 – May be corrosive to metals.

H301 – Toxic if swallowed.

H₃₁₀ – Fatal in contact with skin.

H314 – Causes severe skin burns and eye damage.

H315 – Causes skin irritation.

H317 – May cause an allergic skin reaction.

H318 – Causes serious eye damage.

H319 – Causes serious eye irritation.

H₃₃o – Fatal if inhaled.

H400 – Very toxic to aquatic life.

H410 – Very toxic to aquatic life with long lasting effects.

H412 – Harmful to aquatic life with long lasting effects.

EUH 071 – Corrosive to the respiratory tract.

Training advice: No data available.

Date of revision: -Version: 1





www.msds-europe.com

Full text of the abbreviations in the safety data sheet:

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

ATE: Acute Toxicity Estimate.

AOX: Adsorbable organic halides.

BCF: Bioconcentration factor.

BOD: Biological Oxygen Demand.

CAS number: Chemical Abstract Service number.

CLP: Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.

CMR effects: Carcinogenic, mutagenic, reprotoxic effects.

COD: Chemical Oxygen Demand.

CSA: Chemical Safety Assessment.

CSR: Chemical Safety Report.

DNEL: Derived-No-Effect-Level.

ECHA: European Chemical Agency.

EC: European Community.

EC number: EINECS and ELINCS numbers (see also EINECS and ELINCS).

EEC: European Economic Community.

EEA: European Economic Area (EU + Iceland, Liechtenstein and Norway).

EINECS: European Inventory of Existing Commercial Chemical Substances.

ELINCS: European List of Notified Chemical Substances.

EN: European Norm.

EU: European Union.

EuPCS: European Product Categorisation System.

EWC: European Waste Catalogue (replaced by LoW – see below).

GHS: Globally Harmonized System of Classification and Labelling of Chemicals.

IATA: International Air Transport Association.

ICAO-TI: Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IMDG: International Maritime Dangerous Goods.

IMO: International Maritime Organization.

 $IMSBC: International\ Maritime\ Solid\ Bulk\ Cargoes.$

IUCLID: International Uniform Chemical Information Database.

IUPAC: International Union of Pure and Applied Chemistry.

Kow: n-Octanol - Water Partition Coefficient.

LC50: Lethal concentration resulting in 50 % mortality.

LD50: Lethal dose resulting in 50 % mortality (median lethal dose).

LoW: List of Waste.

LOEC: Lowest Observed Effect Concentration.

LOEL: Lowest Observed Effect Level.

NOEC: No Observed Effect Concentration.

NOEL: No Observed Effect Level.

NOAEC: No Observed Adverse Effect Concentration.

NOAEL: No Observed Adverse Effect Level.

OECD: Organization for Economic Cooperation and Development.

OSHA: Occupational Safety and Health Administration.

PBT: Persistent, Bioaccumulative and Toxic.

PNEC: Predicted No Effect Concentration.

QSAR: Quantitative Structure Activity Relationship.

REACH: Regulation 1907/2006/EC concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals.

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail.

 ${\sf SCBA: Self\ Contained\ Breathing\ Apparatus.}$

SDS: Safety Data Sheet.

STOT: Specific Target Organ Toxicity.

SVHC: Substances of Very High Concern.

UN: United Nations.

UVCB: Chemical Substances of Unknown or Variable Composition, Complex Reaction Products or of Biological Materials.

VOC: Volatile Organic Compound.

vPvB: very Persistent and very Bioaccumulative.

Date of issue: 24. 03. 2025 Date of revision: -

Version: 1





www.msds-europe.com

This safety data sheet had been prepared on the basis of information provided by the manufacturer/supplier and conform to the relevant regulations.

The information, data and recommendations contained herein are provided in good faith, obtained from reliable sources and believed to be true and accurate as of the date issued; however, no representation is made as to the comprehensiveness of the information.

The SDS shall be used only as a guide for handling the product; in the course of handling and using the product other considerations may arise or be required.

Users are cautioned to determine the appropriateness and applicability of the above information to their particular circumstances and purposes and assume all risk associated with the use of this product.

It is the responsibility of the user to fully comply with local, national and international regulations concerning the use of this product.

Safety data sheet was prepared by:
MSDS-Europe
International branch of ToxInfo Kft.

Professional help regarding the explanation of the safety data sheet:

+36 70 335 8480; <u>info@msds-europe.com</u>

www.msds-europe.com

